




## WDKH, cable trunking systems, halogen-free

	<b>Halogen-free, trunking height 10 mm</b>	186
	<b>Halogen-free, trunking height 15 mm</b>	187
	<b>Halogen-free, trunking height 20 mm</b>	188
	<b>Halogen-free, trunking height 30 mm</b>	189
	<b>Halogen-free, trunking height 40 mm</b>	190
	<b>Halogen-free, trunking height 60 mm</b>	191
	<b>Halogen-free, trunking height 60 mm</b>	192
	<b>Halogen-free, trunking height 60 mm</b>	193
	<b>Accessories, WDKH halogen-free</b>	194

Trunking height 10 mm, trunking width 20 mm, halogen-free


## Trunking, type WDK-H 10020



Type	Colour	Length mm	Pack. m	Weight kg/100 m	Item No.
<b>WDKH-10020RW</b>	Pure white	2000	96	8,500	<b>6175 37 5</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/m

Trunking cover and base with base perforation made of halogen-free plastic.



## Internal corner cover



Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-I10020RW</b>	Pure white	30	4	0,240	<b>6175 57 2</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.


## External corner hood



Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-A10020RW</b>	Pure white	30	4	0,280	<b>6175 61 2</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.


## Flat angle cover



Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-F10020RW</b>	Pure white	40	4	0,320	<b>6175 64 8</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/pc.

Flat angle cover for changing the direction of the halogen-free WDKH trunking.


## T piece cover



Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-T10020RW</b>	Pure white	45	34	4	0,320	<b>6175 68 4</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/pc.	

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.

## End piece



Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-E10020RW</b>	Pure white	22	11	10	0,080	<b>6175 54 0</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/pc.	


End piece for closing the halogen-free WDK-H trunking.

### Trunking, type WDKH-15030

Type	Colour	Length mm	Pack. m	Weight kg/100 m	Item No.
<b>WDKH-15030RW</b>	Pure white	2000	48	15,000	<b>6175 39 0</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover and base with base perforation made of halogen-free plastic.




### Internal corner cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-I15030RW</b>	Pure white	38.5	4	0,780	<b>6175 57 8</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.




### External corner cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-A15030RW</b>	Pure white	38.5	4	0,760	<b>6175 61 8</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.




### Flat angle cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-F15030RW</b>	Pure white	53	4	0,700	<b>6175 65 4</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Flat angle cover for changing the direction of the halogen-free WDKH trunking.




### T piece cover

Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-T15030RW</b>	Pure white	73	53	4	0,800	<b>6175 69 0</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.




### End piece


Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-E15030RW</b>	Pure white	30	17	10	0,220	<b>6175 54 6</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

End piece for closing the WDK-H trunking.



## Trunking, type WDKH-20020




Type	Col-our	Length mm	Pack. m	Weight kg/100 m	Item No.
WDKH-20020RW	Pure white	2000	48	8,800	6175 40 0
WDKH-20020LGR	Light grey	2000	48	8,800	6175 46 0

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover and base with base perforation made of halogen-free plastic.

## Internal corner cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-I20020RW	Pure white	38.5	4	0,450	6175 58 1
WDKH-I20020LGR	Light grey	38.5	4	0,450	6175 96 4

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

## External corner cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-A20020RW	Pure white	38.5	4	0,520	6175 62 4
WDKH-A20020LGR	Light grey	38.5	4	0,520	6176 00 0

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.

## Flat angle cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-F20020RW	Pure white	38	4	0,440	6175 65 8
WDKH-F20020LGR	Light grey	38	4	0,440	6176 03 6

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Flat angle cover for changing the direction of the halogen-free WDK-H trunking.

## T piece cover




Type	Col-our	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-T20020RW	Pure white	57	53.5	4	0,520	6175 69 4
WDKH-T20020LGR	Light grey	57	53.5	4	0,520	6176 07 2

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

T piece cover for changing the direction of the halogen-free WDK-H trunking.

## End piece



Type	Col-our	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-E20020RW	Pure white	19	18	10	0,130	6175 55 0
WDKH-E20020LGR	Light grey	19	18	10	0,130	6175 92 8

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.


End piece for closing the WDK-H trunking.

## Trunking, type WDKH-30045

Type	Colour	Length mm	Pack. m	Weight kg/100 m	Item No.
<b>WDKH-30045RW</b>	Pure white	2000	48	24,900	<b>6175 40 5</b>
<b>WDKH-30045LGR</b>	Light grey	2000	48	24,900	<b>6175 46 3</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover and base with base perforation made of halogen-free plastic.




## Internal corner cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-I30045RW</b>	Pure white	60	4	1,600	<b>6175 59 0</b>
<b>WDKH-I30045LGR</b>	Light grey	60	4	1,600	<b>6175 96 8</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.




## External corner hood

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-A30045RW</b>	Pure white	57	4	2,000	<b>6175 62 6</b>
<b>WDKH-A30045LGR</b>	Light grey	57	4	2,000	<b>6176 00 4</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.




## Flat angle cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-F30045RW</b>	Pure white	60	4	2,000	<b>6175 66 2</b>
<b>WDKH-F30045LGR</b>	Light grey	60	4	2,000	<b>6176 04 0</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Flat angle cover for changing the direction of the halogen-free WDKH trunking.




## T piece cover

Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-T30045RW</b>	Pure white	130		4	2,400	<b>6175 69 8</b>
<b>WDKH-T30045LGR</b>	Light grey	130		4	2,400	<b>6176 07 6</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

T piece cover for changing the direction (rising or falling exit) of the halogen-free WDK trunking.




## End piece

Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-E30045RW</b>	Pure white	45	30	10	0,500	<b>6175 55 4</b>
<b>WDKH-E30045LGR</b>	Light grey	45	30	10	0,500	<b>6175 93 2</b>


PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

End piece for closing the WDK-H trunking.



Trunking height 40 mm, trunking width 60 mm, halogen-free

## Trunking, type WDKH 40060




Type	Col-our	Length mm	Pack. m	Weight kg/100 m	Item No.
WDKH-40060RW	Pure white	2000	24	44,000	6175 41 0
WDKH-40060LGR	Light grey	2000	24	44,000	6175 46 6

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

## Internal corner cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-I40060RW	Pure white	85	2	6,200	6175 59 4
WDKH-I40060LGR	Light grey	85	2	6,200	6175 97 2

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

## External corner cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-A40060RW	Pure white	45	2	7,000	6175 63 0
WDKH-A40060LGR	Light grey	45	2	7,000	6176 00 8

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.

## Flat angle cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-F40060RW	Pure white	85	2	5,100	6175 66 6
WDKH-F40060LGR	Light grey	85	2	5,100	6176 04 4

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Flat angle cover for changing the direction of the halogen-free WDK-H trunking.

## T and intersection cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-T40060RW	Pure white	170	2	7,600	6175 70 2
WDKH-T40060LGR	Light grey	170	2	7,600	6176 08 0

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.

## End piece



Type	Col-our	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-E40060RW	Pure white	40	60	10	1,000	6175 55 8
WDKH-E40060LGR	Light grey	40	60	10	1,000	6175 93 6

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.


End piece for closing the WDK-H trunking.

### Trunking, type WDKH-60090

Type	Colour	Length mm	Pack. m	Weight kg/100 m	Item No.
WDKH-60090RW	Pure white	2000	24	81,500	6175 41 5
WDKH-60090LGR	Light grey	2000	24	81,500	6175 46 9

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.




### Internal corner cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-I60090RW	Pure white	130	2	10,700	6175 59 8
WDKH-I60090LGR	Light grey	130	2	10,700	6175 97 6

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.




### External corner cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-A60090RW	Pure white	69	2	10,700	6175 63 4
WDKH-A60090LGR	Light grey	69	2	10,700	6176 01 2

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.




### Flat angle cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-F60090RW	Pure white	129	2	17,100	6175 67 0
WDKH-F60090LGR	Light grey	129	2	17,100	6176 04 8

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Flat angle cover for changing the direction of the halogen-free WDK-H trunking.




### T and intersection cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-T60090RW	Pure white	230	2	21,500	6175 70 6
WDKH-T60090LGR	Light grey	230	2	21,500	6176 08 4

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.




### End piece


Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-E60090RW	Pure white	90	60	10	1,240	6175 56 2
WDKH-E60090LGR	Light grey	90	60	10	1,240	6175 94 0

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

End piece for closing the WDK-H trunking.



## Trunking, type WDKH-60110




Type	Col-our	Length mm	Pack. m	Weight kg/100 m	Item No.
WDKH-60110RW	Pure white	2000	16	95,900	6175 42 0
WDKH-60110LGR	Light grey	2000	16	95,900	6175 47 2

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

## Internal corner cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-I60110RW	Pure white	130	2	11,000	6175 60 2
WDKH-I60110LGR	Light grey	130	2	11,000	6175 98 0

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

## External corner cover




Type	Col-our	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-A60110RW	Pure white	100	2	11,200	6175 63 8
WDKH-A60110LGR	Light grey	100	2	11,200	6176 01 6

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.

## Flat angle cover




Type	Col-our	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-F60110RW	Pure white	149	149	2	11,400	6175 67 4
WDKH-F60110LGR	Light grey	149	149	2	11,400	6176 05 2

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Flat angle cover for changing the direction of the halogen-free WDK-H trunking.

## T and intersection cover




Type	Col-our	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-T60110RW	Pure white	272	65	2	21,000	6175 71 0
WDKH-T60110LGR	Light grey	272	65	2	21,000	6176 08 8

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.

## End piece



Type	Col-our	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
WDKH-E60110RW	Pure white	110	60	10	2,420	6175 56 6
WDKH-E60110LGR	Light grey	110	60	10	2,420	6175 94 4

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

End piece for closing the WDK-H trunking.




## Trunking, type WDKH-60150

Type	Colour	Length mm	Pack. m	Weight kg/100 m	Item No.
<b>WDKH-60150RW</b>	Pure white	2000	8	146,650	<b>6175 42 5</b>
<b>WDKH-60150LGR</b>	Light grey	2000	8	146,650	<b>6175 47 5</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.




## Internal corner cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-I60150RW</b>	Pure white	130	2	12,300	<b>6175 60 6</b>
<b>WDKH-I60150LGR</b>	Light grey	130	2	12,300	<b>6175 98 4</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Internal corner cover for changing the direction of the halogen-free WDKH trunking.




## External corner cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-A60150RW</b>	Pure white	100	2	12,400	<b>6175 64 2</b>
<b>WDKH-A60150LGR</b>	Light grey	100	2	12,400	<b>6176 02 0</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

External corner cover for changing the direction of the halogen-free WDKH trunking.




## Flat angle cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-F60150RW</b>	Pure white	190	2	19,000	<b>6175 67 8</b>
<b>WDKH-F60150LGR</b>	Light grey	190	2	19,000	<b>6176 05 6</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

Flat angle cover for changing the direction of the halogen-free WDK-H trunking.




## T and intersection cover

Type	Colour	Dimension a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-T60150RW</b>	Pure white	291	2	21,800	<b>6175 71 4</b>
<b>WDKH-T60150LGR</b>	Light grey	291	2	21,800	<b>6176 09 2</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.




## End piece


Type	Colour	Dimension a mm	Dimension b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>WDKH-E60150RW</b>	Pure white	150	60	10	3,500	<b>6175 57 0</b>
<b>WDKH-E60150LGR</b>	Light grey	150	60	10	3,500	<b>6175 94 8</b>

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /pc.

End piece for closing the WDK-H trunking.




### Cover clip, halogen-free 60



Type	Col-our	Cover width mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>OTK H60</b>	Pure white	60	10	0,400	<b>6176 12 2</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/100 pc.

Cover clip for better and easier laying of lines in the WDK trunking.


### Cover clip, halogen-free 90



Type	Col-our	Cover width mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>OTK H90</b>	Pure white	90	10	0,900	<b>6176 12 5</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/100 pc.

Cover clip for better and easier laying of lines in the WDK trunking.


### Cover clip, halogen-free 110



Type	Col-our	Cover width mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>OTK H110</b>	Pure white	110	10	1,200	<b>6176 12 8</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/100 pc.

Cover clip for better and easier laying of lines in the WDK trunking.


### Cover clip, halogen-free 150



Type	Col-our	Cover width mm	Pack. pcs	Weight kg/100 pcs.	Item No.
<b>OTK H150</b>	Pure white	150	10	2,500	<b>6176 13 1</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/100 pc.


Cover clip for better and easier laying of lines in the WDK trunking.

### Partition, halogen-free 40



Type	Col-our	Dimension a mm	Pack. m	Weight kg/100 m	Item No.
<b>WDKH-TW40GR</b>	Light grey	2000	60	13,350	<b>6175 50 0</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/m

### Partition, halogen-free 60



Type	Col-our	Dimension a mm	Pack. m	Weight kg/100 m	Item No.
<b>WDKH-TW60GR</b>	Light grey	2000	40	20,650	<b>6175 50 4</b>
<b>PC/ABS</b> Polycarbonate/Acrylonitrile-butadiene-styrene					/m

