




VK wiring trunking system, System Dahl

| | | |
|---|--|-----|
|  | LK4 wiring trunking | 228 |
|  | LK4/N wiring trunking with wire retaining lug | 235 |
|  | LKV DIN wiring trunking | 240 |
|  | LKV/N DIN wiring trunking with wire retaining lug | 246 |
|  | Accessories | 250 |


Wiring trunking, type LK4 15015



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|---------------------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 15015 | Stone grey | 2000 | 15x15 | | 72 | 12,000 | 6178 00 1 |
| PVC Polyvinylchloride /m | | | | | | | |

Wiring trunking including cover and base perforation.


Wiring trunking, type LK4 30015



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|---------------------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 30015 | Stone grey | 2000 | 15x30 | | 40 | 18,000 | 6178 00 3 |
| PVC Polyvinylchloride /m | | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.


Cover



| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|---------------------------------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |
| PVC Polyvinylchloride /m | | | | | | |

Trunking cover for replacement requirements.


Wiring trunking, type LK4 30025



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|---------------------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 30025 | Stone grey | 2000 | 25x30 | | 48 | 28,000 | 6178 00 5 |
| PVC Polyvinylchloride /m | | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.


Cover



| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|---------------------------------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |
| PVC Polyvinylchloride /m | | | | | | |

Trunking cover for replacement requirements.

Wiring trunking, type LK4 40025




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|---------------------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 40025 | Stone grey | 2000 | 25x40 | | 48 | 36,500 | 6178 01 0 |
| PVC Polyvinylchloride /m | | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.

Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 25 | Stone grey | 31 | 2000 | 32 | 10,000 | 6178 48 2 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type LK4 40040

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 40040 | Stone grey | 2000 | 40x40 | 36 | 44,000 | 6178 01 2 |
| PVC Polyvinylchloride /m | | | | | | |


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 40 | Stone grey | 46.2 | 2000 | 24 | 13,500 | 6178 48 4 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type LK4 40060

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 40060 | Stone grey | 2000 | 60x40 | 24 | 57,000 | 6178 01 4 |
| PVC Polyvinylchloride /m | | | | | | |


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 60 | Stone grey | 66.4 | 2000 | 40 | 18,000 | 6178 48 6 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.




Wiring trunking, type LK4 40080

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 40080 | Stone grey | 2000 | 80x40 | 24 | 71,000 | 6178 01 6 |
| PVC Polyvinylchloride /m | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.




Cover



| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------------|-----------|---------|-----------------|------------------|
| LK4 D 80 | Stone grey | 87 | 2000 | 12 | 27,000 | 6178 48 8 |
| PVC Polyvinylchloride /m | | | | | | |

Trunking cover for replacement requirements.


Wiring trunking, type LK4 40100



| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 40100 | Stone grey | 2000 | 100x40 | 24 | 85,500 | 6178 01 8 |
| PVC Polyvinylchloride /m | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.


Cover



| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------------|-----------|---------|-----------------|------------------|
| LK4 D 100 | Stone grey | 107.4 | 2000 | 12 | 35,500 | 6178 49 0 |
| PVC Polyvinylchloride /m | | | | | | |

Trunking cover for replacement requirements.


Wiring trunking, type LK4 60015



| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 60015 | Stone grey | 2000 | 15x60 | 48 | 32,500 | 6178 02 6 |
| PVC Polyvinylchloride /m | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.


Cover



| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------------|-----------|---------|-----------------|------------------|
| LK4 D 15 | Stone grey | 20 | 2000 | 92 | 8,500 | 6178 48 0 |
| PVC Polyvinylchloride /m | | | | | | |

Trunking cover for replacement requirements.

Wiring trunking, type LK4 60025




| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 60025 | Stone grey | 2000 | 25x60 | 32 | 46,000 | 6178 02 8 |
| PVC Polyvinylchloride /m | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.

Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 25 | Stone grey | 31 | 2000 | 32 | 10,000 | 6178 48 2 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type LK4 60040

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 60040 | Stone grey | 2000 | 40x60 | 24 | 53,500 | 6178 03 1 |
| PVC Polyvinylchloride /m | | | | | | |


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 40 | Stone grey | 46.2 | 2000 | 24 | 13,500 | 6178 48 4 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type LK4 60060

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 60060 | Stone grey | 2000 | 60x60 | 32 | 64,500 | 6178 03 3 |
| PVC Polyvinylchloride /m | | | | | | |


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 60 | Stone grey | 66.4 | 2000 | 40 | 18,000 | 6178 48 6 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.




Wiring trunking, type LK4 60080

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 60080 | Stone grey | 2000 | 80x60 | 24 | 82,500 | 6178 03 5 |
| PVC Polyvinylchloride /m | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



Cover




| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|-----------------|------------|-----------------|-----------|---------|-----------------|------------------|
| LK4 D 80 | Stone grey | 87 | 2000 | 12 | 27,000 | 6178 48 8 |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type LK4 60100




| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 60100 | Stone grey | 2000 | 100x60 | 16 | 100,000 | 6178 03 7 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.

Cover




| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|-----------------|-----------|---------|-----------------|------------------|
| LK4 D 100 | Stone grey | 107.4 | 2000 | 12 | 35,500 | 6178 49 0 |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type LK4 60120




| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 60120 | Stone grey | 2000 | 120x60 | 8 | 117,000 | 6178 03 9 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.

Cover




| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|-----------------|-----------|---------|-----------------|------------------|
| LK4 D 120 | Stone grey | 127.8 | 2000 | 16 | 45,500 | 6178 49 2 |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type LK4 80025



| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 80025 | Stone grey | 2000 | 25x80 | 32 | 61,000 | 6178 05 0 |


PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.

Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 25 | Stone grey | 31 | 2000 | 32 | 10,000 | 6178 48 2 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type LK4 80040

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 80040 | Stone grey | 2000 | 40x80 | 24 | 64,500 | 6178 05 2 |
| PVC Polyvinylchloride /m | | | | | | |


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 40 | Stone grey | 46.2 | 2000 | 24 | 13,500 | 6178 48 4 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type LK4 80060

| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 80060 | Stone grey | 2000 | 60x80 | 24 | 76,000 | 6178 05 4 |
| PVC Polyvinylchloride /m | | | | | | |


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|----------------|-----------|---------|-----------------|------------------|
| LK4 D 60 | Stone grey | 66.4 | 2000 | 40 | 18,000 | 6178 48 6 |
| PVC Polyvinylchloride /m | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type LK4 80080


| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|-----------|--------------------|---------|-----------------|------------------|
| LK4 80080 | Stone grey | 2000 | 80x80 | 16 | 95,500 | 6178 05 6 |
| PVC Polyvinylchloride /m | | | | | | |

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.



LK4 wiring trunking

Cover




| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|-----------------|------------|--------------------|--------------|------------|--------------------|------------------|
| LK4 D 80 | Stone grey | 87 | 2000 | 12 | 27,000 | 6178 48 8 |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type LK4 80100




| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|--------------------------|------------|--------------------|------------------|
| LK4 80100 | Stone grey | 2000 | 100x80 | 16 | 111,500 | 6178 05 9 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.

Cover




| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------------|--------------|------------|--------------------|------------------|
| LK4 D 100 | Stone grey | 107.4 | 2000 | 12 | 35,500 | 6178 49 0 |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type LK4 80120




| Type | Col-our | Length mm | Dimension W x H mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|--------------------------|------------|--------------------|------------------|
| LK4 80120 | Stone grey | 2000 | 120x80 | 8 | 128,500 | 6178 06 1 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking.

Cover



| Type | Col-our | Dimen-sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------------|--------------|------------|--------------------|------------------|
| LK4 D 120 | Stone grey | 127.8 | 2000 | 16 | 45,500 | 6178 49 2 |

PVC Polyvinylchloride /m


Trunking cover for replacement requirements.

Wiring trunking, type LK4/N 60015

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 N 60015 | Stone grey | 2000 | 15x60 | | 48 | 41,000 | 6178 20 1 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover

| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.




Wiring trunking, type LK4/N 60025

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 N 60025 | Stone grey | 2000 | 25x60 | | 32 | 48,500 | 6178 20 3 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover

| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.




Wiring trunking, type LK4/N 60040

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 N 60040 | Stone grey | 2000 | 40x60 | | 24 | 56,000 | 6178 20 5 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover


| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.




Wiring trunking, type LK4/N 60060



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LK4 N 60060 | Stone grey | 2000 | 60 | 60 | 32 | 68,000 | 6178 20 7 |
| PVC Polyvinylchloride /m | | | | | | | |

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.


Cover



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | a | mm | | | |
| LK4 D 60 | Stone grey | 66.4 | 2000 | | 40 | 18,000 | 6178 48 6 |
| PVC Polyvinylchloride /m | | | | | | | |

Trunking cover for replacement requirements.


Wiring trunking, type LK4/N 60080



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LK4 N 60080 | Stone grey | 2000 | 80 | 60 | 24 | 87,000 | 6178 20 9 |
| PVC Polyvinylchloride /m | | | | | | | |

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.


Cover



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | a | mm | | | |
| LK4 D 80 | Stone grey | 87 | 2000 | | 12 | 27,000 | 6178 48 8 |
| PVC Polyvinylchloride /m | | | | | | | |

Trunking cover for replacement requirements.


Wiring trunking, type LK4/N 60100



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LK4 N 60100 | Stone grey | 2000 | 100 | 60 | 16 | 105,500 | 6178 21 1 |
| PVC Polyvinylchloride /m | | | | | | | |

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | a | mm | | | |
| LK4 D 100 | Stone grey | 107.4 | 2000 | | 12 | 35,500 | 6178 49 0 |
| PVC Polyvinylchloride /m | | | | | | | |


Trunking cover for replacement requirements.

Wiring trunking, type LK4/N 60120

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 N 60120 | Stone grey | 2000 | 120x60 | | 8 | 120,500 | 6178 21 3 |

PVC Polyvinylchloride

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover

| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

Trunking cover for replacement requirements.




Wiring trunking, type LK4/N 80025

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 N 80025 | Stone grey | 2000 | 25x80 | | 32 | 65,000 | 6178 22 5 |

PVC Polyvinylchloride

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover

| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

Trunking cover for replacement requirements.




Wiring trunking, type LK4/N 80040

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LK4 N 80040 | Stone grey | 2000 | 40x80 | | 24 | 73,500 | 6178 22 7 |

PVC Polyvinylchloride

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover


| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

Trunking cover for replacement requirements.




Wiring trunking, type LK4/N 80060



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LK4 N 80060 | Stone grey | 2000 | 60 | 80 | 24 | 82,000 | 6178 22 9 |

PVC Polyvinylchloride /m
Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.


Cover



| Type | Col-our | Length mm | Dimen- sion a mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|--------------|------------------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m
Trunking cover for replacement requirements.


Wiring trunking, type LK4/N 80080



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LK4 N 80080 | Stone grey | 2000 | 80 | 80 | 16 | 101,000 | 6178 23 1 |

PVC Polyvinylchloride /m
Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.


Cover



| Type | Col-our | Length mm | Dimen- sion a mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|--------------|------------------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m
Trunking cover for replacement requirements.


Wiring trunking, type LK4/N 80100



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LK4 N 80100 | Stone grey | 2000 | 100 | 80 | 16 | 116,500 | 6178 23 3 |

PVC Polyvinylchloride /m
Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover



| Type | Col-our | Length mm | Dimen- sion a mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|--------------|------------------------|------------|--------------------|----------|
| | | | | | | |


PVC Polyvinylchloride /m
Trunking cover for replacement requirements.

Wiring trunking, type LK4/N 80120

| Type | Colour | Dimension | | Pack. m | Weight | | Item No. |
|--------------------|------------|-----------|----------|---------|---------|------------------|----------|
| | | Length mm | W x H mm | | m | kg/100 m | |
| LK4 N 80120 | Stone grey | 2000 | 120x80 | 8 | 133,500 | 6178 23 6 | |

PVC Polyvinylchloride

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover


| Type | Colour | Dimension | | Pack. m | Weight | | Item No. |
|------------------|------------|-----------|-----------|---------|--------|------------------|----------|
| | | a mm | Length mm | | m | kg/100 m | |
| LK4 D 120 | Stone grey | 127.8 | 2000 | 16 | 45,500 | 6178 49 2 | |

PVC Polyvinylchloride

Trunking cover for replacement requirements.



Wiring trunking, type 25025




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV 25025 | Stone grey | 2000 | 25 | 25 | 32 | 24,000 | 6178 30 2 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover




| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 37025




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-----------|------|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV 37025 | Stone grey | 2000 | 25 | 37.5 | 32 | 31,500 | 6178 30 5 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover




| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 37037




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-----------|------|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV 37037 | Stone grey | 2000 | 37.5 | 37.5 | 60 | 40,500 | 6178 30 7 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover



| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.


Wiring trunking, type 50025

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 50025 | Stone grey | 2000 | 25x50 | | 60 | 35,500 | 6178 31 0 |

PVC Polyvinylchloride

/m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|-------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.




Wiring trunking, type 50037

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 50037 | Stone grey | 2000 | 37.5x50 | | 48 | 44,500 | 6178 31 2 |

PVC Polyvinylchloride

/m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|-------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.




Wiring trunking, type 50050

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 50050 | Stone grey | 2000 | 50x50 | | 36 | 50,000 | 6178 31 4 |

PVC Polyvinylchloride

/m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|-------------------|--------------|------------|--------------------|----------|
| | | | | | | |


PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.



Wiring trunking, type 50075




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV 50075 | Stone grey | 2000 | 75 | 50 | 24 | 66,000 | 6178 31 6 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover




| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 75025




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV 75025 | Stone grey | 2000 | 25 | 75 | 40 | 48,500 | 6178 32 0 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover




| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 75037




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV 75037 | Stone grey | 2000 | 37.5 | 75 | 32 | 58,500 | 6178 32 2 |

PVC Polyvinylchloride /m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover



| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.


Wiring trunking, type 75050

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 75050 | Stone grey | 2000 | 50x75 | | 24 | 67,500 | 6178 32 4 |

PVC Polyvinylchloride

/m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.




Wiring trunking, type 75075

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 75075 | Stone grey | 2000 | 75x75 | | 16 | 80,000 | 6178 32 6 |

PVC Polyvinylchloride

/m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.




Wiring trunking, type 75100

| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 75100 | Stone grey | 2000 | 100x75 | | 16 | 105,500 | 6178 32 8 |

PVC Polyvinylchloride

/m

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |


PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.




Wiring trunking, type 75125



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|-----------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 75125 | Stone grey | 2000 | 125x75 | | 8 | 128,500 | 6178 33 0 |
| PVC Polyvinylchloride | | | | | | | /m |

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.


Cover



| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. | |
|-----------------------|---------|------------------------|--------------|------------|--------------------|----------|------------------|
| | | | | | | | LKV D 125 |
| PVC Polyvinylchloride | | | | | | | /m |

Trunking cover for replacement requirements.


Wiring trunking, type 10037



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|-----------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 10037 | Stone grey | 2000 | 37.5x100 | | 32 | 67,000 | 6178 33 4 |
| PVC Polyvinylchloride | | | | | | | /m |

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.


Cover



| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. | |
|-----------------------|---------|------------------------|--------------|------------|--------------------|----------|-----------------|
| | | | | | | | LKV D 37 |
| PVC Polyvinylchloride | | | | | | | /m |

Trunking cover for replacement requirements.


Wiring trunking, type 10050



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|-----------------------|------------|--------------|-------------|--|------------|--------------------|------------------|
| | | | W x H mm | | | | |
| LKV 10050 | Stone grey | 2000 | 50x100 | | 24 | 77,000 | 6178 33 6 |
| PVC Polyvinylchloride | | | | | | | /m |

Wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover




| Type | Col-our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. | |
|-----------------------|---------|------------------------|--------------|------------|--------------------|----------|-----------------|
| | | | | | | | LKV D 50 |
| PVC Polyvinylchloride | | | | | | | /m |

Trunking cover for replacement requirements.

Wiring trunking, type 10075

| Type | Col- our | Length mm | Dimension | | Pack. m | Weight | | Item No. |
|--------------------------|-------------|--------------|-------------|--|------------|--------|----------|------------------|
| | | | W x H mm | | | m | kg/100 m | |
| LKV 10075 | Stone grey | 2000 | 75x100 | | 16 | 96,000 | | 6178 33 8 |
| PVC Polyvinylchloride /m | | | | | | | | |


Wiring trunking including cover and base perforation to DIN EN 50085-2-3.



Cover

| Type | Col- our | Dimen- sion a mm | Length mm | Pack. m | Weight | | Item No. | |
|--------------------------|-------------|------------------------|--------------|------------|--------|----------|------------------|--|
| | | | | | m | kg/100 m | | |
| LKV D 75 | Stone grey | 75 | 2000 | 12 | 23,000 | | 6178 51 0 | |
| PVC Polyvinylchloride /m | | | | | | | | |


Trunking cover for replacement requirements.



Wiring trunking, type 100100

| Type | Col- our | Length mm | Dimension | | Pack. m | Weight | | Item No. |
|--------------------------|-------------|--------------|-------------|--|------------|---------|----------|------------------|
| | | | W x H mm | | | m | kg/100 m | |
| LKV 100100 | Stone grey | 2000 | 100x100 | | 8 | 116,500 | | 6178 34 1 |
| PVC Polyvinylchloride /m | | | | | | | | |


Wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

| Type | Col- our | Dimen- sion a mm | Length mm | Pack. m | Weight | | Item No. | |
|--------------------------|-------------|------------------------|--------------|------------|--------|----------|------------------|--|
| | | | | | m | kg/100 m | | |
| LKV D 100 | Stone grey | 100 | 2000 | 12 | 34,500 | | 6178 51 2 | |
| PVC Polyvinylchloride /m | | | | | | | | |

Trunking cover for replacement requirements.



Wiring trunking, type 75025




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV N 75025 | Stone grey | 2000 | 25 | 75 | 40 | 49,500 | 6178 42 0 |

PVC Polyvinylchloride /m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover




| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|-------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 75037




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV N 75037 | Stone grey | 2000 | 37.5 | 50 | 32 | 60,500 | 6178 42 2 |

PVC Polyvinylchloride /m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover




| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|-------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 75050




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV N 75050 | Stone grey | 2000 | 50 | 75 | 24 | 72,500 | 6178 42 4 |

PVC Polyvinylchloride /m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover



| Type | Col-our | Dimension a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|---------|-------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.


Wiring trunking, type 75075

| Type | Col-our | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|-----------|----------|---------|-----------------|------------------|
| | | Length mm | W x H mm | | | |
| LKV N 75075 | Stone grey | 2000 | 75x75 | 16 | 84,500 | 6178 42 6 |

PVC Polyvinylchloride

/m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover

| Type | Col-our | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|-----------------|------------|-----------|----------------|---------|-----------------|------------------|
| | | Length mm | Dimension a mm | | | |
| LKV D 75 | Stone grey | 2000 | 75 | 12 | 23,000 | 6178 51 0 |

PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.




Wiring trunking, type 75100

| Type | Col-our | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|-----------|----------|---------|-----------------|------------------|
| | | Length mm | W x H mm | | | |
| LKV N 75100 | Stone grey | 2000 | 100x75 | 16 | 112,000 | 6178 42 8 |

PVC Polyvinylchloride

/m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover

| Type | Col-our | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|-----------|----------------|---------|-----------------|------------------|
| | | Length mm | Dimension a mm | | | |
| LKV D 100 | Stone grey | 2000 | 100 | 12 | 34,500 | 6178 51 2 |

PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.




Wiring trunking, type 75125

| Type | Col-our | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|-----------|----------|---------|-----------------|------------------|
| | | Length mm | W x H mm | | | |
| LKV N 75125 | Stone grey | 2000 | 125x75 | 8 | 138,500 | 6178 43 0 |

PVC Polyvinylchloride

/m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover

| Type | Col-our | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|------------------|------------|-----------|----------------|---------|-----------------|------------------|
| | | Length mm | Dimension a mm | | | |
| LKV D 125 | Stone grey | 2000 | 125 | 16 | 47,000 | 6178 51 4 |


PVC Polyvinylchloride

/m

Trunking cover for replacement requirements.



Wiring trunking, type 10037




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV N 10037 | Stone grey | 2000 | 37.5 | 50 | 32 | 73,000 | 6178 43 5 |

PVC Polyvinylchloride /m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|-----------------|------------|--------------|-----------|------|------------|--------------------|------------------|
| | | | a | mm | | | |
| LKV D 37 | Stone grey | 2000 | 37.5 | 2000 | 24 | 15,000 | 6178 50 6 |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 10050




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|-----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV N 10050 | Stone grey | 2000 | 50 | 100 | 24 | 83,000 | 6178 43 7 |

PVC Polyvinylchloride /m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|-----------------|------------|--------------|-----------|------|------------|--------------------|------------------|
| | | | a | mm | | | |
| LKV D 50 | Stone grey | 2000 | 50 | 2000 | 24 | 17,500 | 6178 50 8 |

PVC Polyvinylchloride /m

Trunking cover for replacement requirements.

Wiring trunking, type 10075




| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|--------------------|------------|--------------|-----------|-----|------------|--------------------|------------------|
| | | | W | H | | | |
| LKV N 10075 | Stone grey | 2000 | 75 | 100 | 16 | 102,000 | 6178 43 9 |

PVC Polyvinylchloride /m

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Cover



| Type | Col-our | Length mm | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|-----------------|------------|--------------|-----------|------|------------|--------------------|------------------|
| | | | a | mm | | | |
| LKV D 75 | Stone grey | 2000 | 75 | 2000 | 12 | 23,000 | 6178 51 0 |

PVC Polyvinylchloride /m


Trunking cover for replacement requirements.

Wiring trunking, type 100100

| Type | Col- our | Dimension | | Pack. m | Weight kg/100 m | Item No. |
|---------------------|-------------|--------------|-------------|------------|--------------------|------------------|
| | | Length mm | W x H mm | | | |
| LKV N 100100 | Stone grey | 2000 | 100x100 | 8 | 122,500 | 6178 44 1 |

PVC Polyvinylchloride

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.




Cover


| Type | Col- our | Dimen- sion a mm | Length mm | Pack. m | Weight kg/100 m | Item No. |
|------|-------------|------------------------|--------------|------------|--------------------|----------|
| | | | | | | |

PVC Polyvinylchloride

Trunking cover for replacement requirements.




Wire retainer for type LK4 and LK4/N



| Type | Colour | Dimension a mm | Dimension b mm | Pack. pcs | Weight kg/100 pcs | Item No. |
|-----------------------|------------|----------------|----------------|-----------|-------------------|------------------|
| LK4 H | Stone grey | 56 | 25 | 100 | 0,470 | 6178 09 2 |
| PS Polystyrene | | | | | | /100 pc. |

Wire retainer for wiring trunking, type LK4 and LK4/N. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.


Wire retainer for type LKV and LKV/N



| Type | Colour | Dimension a mm | Dimension b mm | Pack. pcs | Weight kg/100 pcs | Item No. |
|-----------------------|------------|----------------|----------------|-----------|-------------------|------------------|
| LKV H | Stone grey | 56 | 25 | 100 | 0,470 | 6178 34 9 |
| PS Polystyrene | | | | | | /100 pc. |

Wire retainer for wiring trunking, type LKV and LKV/N. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.


Plastic rivet tool



| Type | Dimension | Colour | Pack. pcs | Weight kg/100 pcs | Item No. |
|--|-----------|--------|-----------|-------------------|------------------|
| KNW1 | Ø 4.5mm | Black | 1 | 9,300 | 6178 52 7 |
| POM Polyacetal (polyoxymethylene, polyformaldehyde) | | | | | |

Riveting tool for installing body-bound rivets 4.5 mm.


Plastic rivet tool



| Type | Dimension | Colour | Pack. pcs | Weight kg/100 pcs | Item No. |
|--|-----------|--------|-----------|-------------------|------------------|
| KNW2 | Ø 6mm | Black | 1 | 9,400 | 6178 52 9 |
| POM Polyacetal (polyoxymethylene, polyformaldehyde) | | | | | |

Riveting tool for mounting spreading rivets 6 mm.


Spreading rivet, KSN 1



| Type | Colour | Dimension a mm | Pack. pcs | Weight kg/100 pcs | Item No. |
|-------------------------|------------|----------------|-----------|-------------------|------------------|
| KSN1 | Light grey | 4.5 | 100 | 0,024 | 6178 52 0 |
| PP Polypropylene | | | | | |

The VK wiring trunking is fastened to the mounting plate using the spreading rivet and the riveting tool.

Spreading rivet, KSN 22



| Type | Colour | Dimension a mm | Pack. pcs | Weight kg/100 pcs | Item No. |
|---------------------|------------|----------------|-----------|-------------------|------------------|
| KSN22 | Light grey | 6.3 | 100 | 0,068 | 6178 52 5 |
| PA Polyamide | | | | | |

The VK wiring trunking is fastened to the mounting plate using the body-bound rivet and the riveting tool. Dimension of the drill hole: 6.5 mm

Release pliers

| Type | Material | Pack. pcs | Weight kg/100 pcs. | Item No. |
|------------|----------|-----------|--------------------|------------------|
| AKZ | Steel | 1 | 30,857 | 6178 53 5 |

/pc.

To notch the bars down to the trunking base.




Spacer

| Type | Colour | Dimension mm | Diameter mm | Pack. pcs | Weight kg/100 pcs. | Item No. |
|------------|--------|--------------|-------------|-----------|--------------------|------------------|
| AH1 | Grey | 12 | 24 | 100 | 0,354 | 6178 54 0 |
| AH2 | Grey | 20 | 24 | 100 | 0,576 | 6178 54 2 |

PVC Polyvinylchloride /100 pc.

Stackable spacer for height compensation between the different component heights.




Washer

| Type | Colour | Dimension mm | Diameter mm | Pack. pcs | Weight kg/100 pcs. | Item No. |
|------------|--------|--------------|-------------|-----------|--------------------|------------------|
| ULS | Grey | 3 | 5 | 100 | 0,170 | 6178 54 8 |

PVC Polyvinylchloride /100 pc.

Washer as compensation for different heights.





Support rail, unperforated

| Type | Version | Material thickness mm | Length mm | Bundle m | Weight kg/100 m | Item No. |
|--------------------|--------------|-----------------------|-----------|----------|-----------------|------------------|
| 2064 GTP 2M | Unperforated | 1.5 | 2000 | 20 | 70,000 | 1115 05 7 |

Steel price/100 m
GTP Electrogalvanised, transparently passivated

G rail G32 to DIN EN 60715 (previously DIN EN 50035).




Support rail, perforated

| Type | Version | Material thickness mm | Length mm | Bundle m | Weight kg/100 m | Item No. |
|----------------------|------------|-----------------------|-----------|----------|-----------------|------------------|
| 2064 GTP L 2M | Perforated | 1.5 | 2000 | 20 | 69,000 | 1115 06 5 |

Steel price/100 m
GTP Electrogalvanised, transparently passivated

G rail G32 to DIN EN 60715 (previously DIN EN 50035).




Hat profile rail, unperforated


| Type | Version | Material thickness mm | Length mm | Bundle m | Weight kg/100 m | Item No. |
|--------------------|--------------|-----------------------|-----------|----------|-----------------|------------------|
| 2069 2M GTP | Unperforated | 1 | 2000 | 50 | 36,040 | 1115 65 0 |

Steel price/100 m
GTP Electrogalvanised, transparently passivated

Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).



Hat profile rail, perforated




| Type | Version | Material thickness mm | Length mm | Bundle m | Weight kg/100 m | Item No. |
|---------------------|------------|--------------------------|--------------|-------------|--------------------|------------------|
| 2069 2M GTPL | Perforated | 1 | 2000 | 50 | 33,280 | 1115 66 9 |

price/100 m

Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).

Identification plate



| Type | Dimension mm | Col- our | Pack. pcs | Weight kg/100 pcs. | Item No. |
|---------------------|-----------------|-------------|--------------|-----------------------|------------------|
| VK ISCS 5012 | 99x25mm | Light blue | 20 | 0,100 | 6178 64 3 |

/pc.

Sticker as an identification plate to attach onto wiring trunking in switching cabinets with self-protected power circuits.

