



VKH wiring trunking system, Dahl, halogen-free



LKVH DIN wiring trunking, halogen-free


256



Accessories, VK wiring trunking, halogen-free

259


Wiring trunking, type 50037



Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH 50037	Light grey	2000	37.5x50		48	32,000	6178 58 2
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m							

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.


Cover



Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m						

Trunking cover for replacement requirements.


Wiring trunking, type 50050



Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH 50050	Light grey	2000	50x50		36	37,000	6178 58 5
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m							

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.


Cover



Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m						

Trunking cover for replacement requirements.


Wiring trunking, type 50075



Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH 50075	Light grey	2000	75x50		24	52,000	6178 58 8
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m							

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover



Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m						


Trunking cover for replacement requirements.

Wiring trunking, type 75037

Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH N 75037	Light grey	2000	37.5x50		32	44,000	6178 55 2

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover for replacement requirements.




Wiring trunking, type 75050

Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH N 75050	Light grey	2000	50x75		24	51,000	6178 55 6

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover

Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover for replacement requirements.




Wiring trunking, type 75075

Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH N 75075	Light grey	2000	75x75		16	64,000	6178 55 9

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.




Cover


Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.

PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m

Trunking cover for replacement requirements.




Wiring trunking, type 75100



Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH N 75100	Light grey	2000	100x75		16	84,000	6178 56 3
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m							

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.


Cover



Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m						

Trunking cover for replacement requirements.

Wiring trunking, type 75125



Type	Col-our	Length mm	Dimension		Pack. m	Weight kg/100 m	Item No.
			W x H mm				
LKVH N 75125	Light grey	2000	125x75		8	98,500	6178 56 6
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m							

Halogen-free wiring trunking including cover and base perforation to DIN EN 50085-2-3.

Cover



Type	Col-our	Dimen- sion a mm	Length mm	Pack. m	Weight kg/100 m	Item No.
PC/ABS Polycarbonate/Acrylonitrile-butadiene-styrene /m						


Trunking cover for replacement requirements.

Wire retainer for type LKV/H

Type	Col-our	Dimen-sion a mm	Dimen-sion b mm	Pack. pcs	Weight kg/100 pcs.	Item No.
LKV H H	Light grey	56	25	100	0,361	6178 65 0

/100 pc.

Wire retainer for halogen-free wiring trunking, type LKV/H. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.




Plastic rivet tool

Type	Dimension	Col-our	Pack. pcs	Weight kg/100 pcs.	Item No.
KNW1	Ø 4.5mm	Black	1	9,300	6178 52 7

POM Polyacetal (polyoxymethylene, polyformaldehyde)

/pc.

Riveting tool for installing body-bound rivets 4.5 mm.




Plastic rivet tool

Type	Dimension	Col-our	Pack. pcs	Weight kg/100 pcs.	Item No.
KNW2	Ø 6mm	Black	1	9,400	6178 52 9

POM Polyacetal (polyoxymethylene, polyformaldehyde)

/pc.

Riveting tool for mounting spreading rivets 6 mm.




Spreading rivet, KSN 1

Type	Col-our	Dimen-sion a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
KSN1	Light grey	4.5	100	0,024	6178 52 0

PP Polypropylene

/100 pc.

The VK wiring trunking is fastened to the mounting plate using the spreading rivet and the riveting tool.




Body-bound rivet, KSN 22

Type	Col-our	Dimen-sion a mm	Pack. pcs	Weight kg/100 pcs.	Item No.
KSN22	Light grey	6.3	100	0,068	6178 52 5

PA Polyamide

/100 pc.

The VK wiring trunking is fastened to the mounting plate using the body-bound rivet and the riveting tool. Dimension of the drill hole: 6.5 mm



Release pliers

Type	Pack. pcs	Weight kg/100 pcs.	Item No.
AKZ	1	30,857	6178 53 5



St Steel

/pc.

To notch the bars down to the trunking base.




Support rail, unperforated



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item No.
2064 GTP 2M	Unperforated	1.5	2000	20	70,000	1115 05 7

St Steel
GTP Electrogalvanised, transparently passivated
 G rail G32 to DIN EN 60715 (previously DIN EN 50035).
 price/100 m


Support rail, perforated



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item No.
2064 GTP 2M	Perforated	1.5	2000	20	69,000	1115 06 5

St Steel
GTP Electrogalvanised, transparently passivated
 G rail G32 to DIN EN 60715 (previously DIN EN 50035).
 price/100 m


Hat profile rail, unperforated



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item No.
2069 2M GTP	Unperforated	1	2000	50	36,040	1115 65 0

St Steel
GTP Electrogalvanised, transparently passivated
 Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).
 price/100 m

Hat profile rail, perforated



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item No.
2069 2M GTP	Perforated	1	2000	50	33,280	1115 66 9

Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).
 price/100 m

