












Modul 45® systems, multimedia solutions

	Multimedia support, VGA / D-Sub9	VGA socket, as screw connection VGA socket, with connection cable D-Sub9 socket, as screw connection D-Sub9 socket, with connection cable VGA / D-Sub9 support, without plug connector	126
	Multimedia support, DVI	DVI-I socket, as screw connection DVI-I socket, with connection cable DVI-I support, without plug connector	127
	Multimedia support, HDMI	HDMI socket, as screw connection HDMI socket, with connection cable	128
	Multimedia support, USB	USB 2.0 socket, as screw connection USB 2.0 socket, with connection cable USB 3.0 socket, as screw connection USB 3.0 socket, with connection cable	129
	Multimedia support, jack	Mini jack socket, as soldered connection	131
	Multimedia support, cinch	1x socket for Composite Video, as soldered connection 1x socket for Composite Video, as 1:1 coupling 2x sockets for Audio-Stereo, as soldered connection 2x sockets for Audio-Stereo, as 1:1 coupling 3x sockets for Component Video, as soldered connection 3x sockets for Component Video, as 1:1 coupling 3x sockets for Audio / Video, as soldered connection 3x sockets for Audio / Video, as 1:1 coupling	131
	Multimedia support, BNC	1x BNC socket, as 1:1 coupling 2x BNC socket, as 1:1 coupling	134
	Multimedia support, XLR	XLR socket, 3-pin, as soldered connection XLR connector, 3-pin, as soldered connection XLR support, without plug connector	135
	Antenna socket	SAT Radio, TV Radio, TV, SAT	135

Multimedia connection solutions, Modul 45®




VGA connection, 1 module, straight outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-VGA S RW1	Pure white	1	2.400	6104 61 0
MTG-VGA S SWGR1	Black-grey	1	2.400	6104 61 3
MTG-VGA S AL1	Aluminium painted	1	2.400	6104 61 6

PC Polycarbonate

Multimedia support with one VGA connection socket, straight cable outlet, with labelling panel, VGA socket (HD15) with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




VGA connection, 1 module, slanting outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-VGA S RW1	Pure white	1	2.600	6104 62 2
MTS-VGA S SWGR1	Black-grey	1	2.600	6104 62 5
MTS-VGA S AL1	Aluminium painted	1	2.600	6104 62 8

PC Polycarbonate

Multimedia support with one VGA connection socket, slanting cable outlet, with labelling panel, VGA socket (HD15) with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




VGA connection, 1 module, straight outlet, with connection cable

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-VGA F RW1	Pure white	1	5.200	6104 65 8
MTG-VGA F SWGR1	Black-grey	1	5.200	6104 66 1
MTG-VGA F AL1	Aluminium painted	1	5.200	6104 66 4

PC Polycarbonate

Multimedia support with one VGA connection socket, straight cable outlet, with labelling panel, short VGA connection cable (HD15), socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.




VGA connection, 1 module, slanting outlet, with connection cable

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-VGA F RW1	Pure white	1	5.400	6104 67 0
MTS-VGA F SWGR1	Black-grey	1	5.400	6104 67 3
MTS-VGA F AL1	Aluminium painted	1	5.400	6104 67 6

PC Polycarbonate

Multimedia support with one VGA connection socket, slanting cable outlet, with labelling panel, short VGA connection cable (HD15), socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.




D-Sub9 connection, 1 module, straight outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-DB9 S RW1	Pure white	1	2.400	6104 63 4
MTG-DB9 S SWGR1	Black-grey	1	2.400	6104 63 7
MTG-DB9 S AL1	Aluminium painted	1	2.400	6104 64 0

PC Polycarbonate

Multimedia support with one D-Sub9 connection socket, straight cable outlet, with labelling panel, D-Sub9 socket (RS232) with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.





D-Sub9 connection, 1 module, slanting outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-DB9 S RW1	Pure white	1	2.600	6104 64 6
MTS-DB9 S SWGR1	Black-grey	1	2.600	6104 64 9
MTS-DB9 S AL1	Aluminium painted	1	2.600	6104 65 2

PC Polycarbonate

Multimedia support with one D-Sub9 connection socket, slanting cable outlet, with labelling panel, D-Sub9 socket (RS232) with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.






D-Sub9 connection, 1 module, straight outlet, with connection

cable

Type	Colour	Pack.	Weight	Item No.
MTG-DB9 F RW1	Pure white	1	5.200	6104 68 2
MTG-DB9 F SWGR1	Black-grey	1	5.200	6104 68 5
MTG-DB9 F AL1	Aluminium painted	1	5.200	6104 68 8

PC Polycarbonate

Multimedia support with one D-Sub9 connection socket, straight cable outlet, with labelling panel, short D-Sub9 connection cable (RS232), socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.




D-Sub9 connection, 1 module, slanting outlet, with connection

cable

Type	Colour	Pack.	Weight	Item No.
MTS-DB9 F RW1	Pure white	1	5.400	6104 69 4
MTS-DB9 F SWGR1	Black-grey	1	5.400	6104 69 7
MTS-DB9 F AL1	Aluminium painted	1	5.400	6104 70 0

PC Polycarbonate

Multimedia support with one D-Sub9 connection socket, slanting cable outlet, with labelling panel, short D-Sub9 connection cable (RS232), socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.




Multimedia support for VGA / D-Sub9 plug connector, 1 module, straight outlet

Type	Colour	Pack.	Weight	Item No.
MTG-DB O RW1	Pure white	1	0.700	6104 70 6
MTG-DB O SWGR1	Black-grey	1	0.700	6104 70 9
MTG-DB O AL1	Aluminium painted	1	0.700	6104 71 2

PC Polycarbonate

Multimedia support for a VGA / D-Sub9 plug connector, straight cable outlet, with labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Multimedia support for VGA / D-Sub9 plug connector, 1 module, slanting outlet

Type	Colour	Pack.	Weight	Item No.
MTS-DB O RW1	Pure white	1	0.900	6104 71 8
MTS-DB O SWGR1	Black-grey	1	0.900	6104 72 1
MTS-DB O AL1	Aluminium painted	1	0.900	6104 72 4

PC Polycarbonate

Multimedia support for a VGA / D-Sub9 plug connector, slanting cable outlet, with labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



DVI-I connection, 1 module, straight outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
MTG-DVI S RW1	Pure white	1	3.500	6104 73 0
MTG-DVI S SWGR1	Black-grey	1	3.500	6104 73 3
MTG-DVI S AL1	Aluminium painted	1	3.500	6104 73 6

PC Polycarbonate

Multimedia support with one DVI-I connection socket, straight cable outlet, with labelling panel, DVI-I socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Note: Device installation in Rapid 45 device installation ducts is not possible on account of the device dimensions.



Multimedia connection solutions, Modul 45®




DVI-I connection, 1 module, slanting outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
MTS-DVI S RW1	Pure white	1	3.700	6104 74 2
MTS-DVI S SWGR1	Black-grey	1	3.700	6104 74 5
MTS-DVI S AL1	Aluminium painted	1	3.700	6104 74 8

PC Polycarbonate

Multimedia support with one DVI-I connection socket, slanting cable outlet, with labelling panel, DVI-I socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




DVI-I connection, 1 module, straight outlet, with connection cable

Type	Colour	Pack.	Weight	Item No.
MTG-DVI F RW1	Pure white	1	6.000	6104 75 4
MTG-DVI F SWGR1	Black-grey	1	6.000	6104 75 7
MTG-DVI F AL1	Aluminium painted	1	6.000	6104 76 0

PC Polycarbonate

Multimedia support with one DVI-I connection socket, straight cable outlet, with labelling panel, short DVI-I connection cable, socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.




DVI-I connection, 1 module, slanting outlet, with connection cable

Type	Colour	Pack.	Weight	Item No.
MTS-DVI F RW1	Pure white	1	6.200	6104 76 6
MTS-DVI F SWGR1	Black-grey	1	6.200	6104 76 9
MTS-DVI F AL1	Aluminium painted	1	6.200	6104 77 2

PC Polycarbonate

Multimedia support with one DVI-I connection socket, slanting cable outlet, with labelling panel, short DVI-I connection cable, socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.




Multimedia support for DVI plug connector, 1 module, straight outlet

Type	Colour	Pack.	Weight	Item No.
MTG-DV O RW1	Pure white	1	0.700	6104 77 8
MTG-DV O SWGR1	Black-grey	1	0.700	6104 78 1
MTG-DV O AL1	Aluminium painted	1	0.700	6104 78 4

PC Polycarbonate

Multimedia support for a DVI plug connector, straight cable outlet, with labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Multimedia support for DVI plug connector, 1 module, slanting outlet

Type	Colour	Pack.	Weight	Item No.
MTS-DV O RW1	Pure white	1	0.900	6104 79 0
MTS-DV O SWGR1	Black-grey	1	0.900	6104 79 3
MTS-DV O AL1	Aluminium painted	1	0.900	6104 79 6

PC Polycarbonate

Multimedia support for a DVI plug connector, slanting cable outlet, with labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




HDMI connection, 1 module, straight outlet, as screw connection


Type	Colour	Pack.	Weight	Item No.
MTG-HD S RW1	Pure white	1	3.200	6104 80 2
MTG-HD S SWGR1	Black-grey	1	3.200	6104 80 5
MTG-HD S AL1	Aluminium painted	1	3.200	6104 80 8

PC Polycarbonate

Multimedia support with one HDMI connection socket, straight cable outlet, with labelling panel, HDMI socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Note: Device installation in Rapid 45 device installation ducts and ISSR..45 / ISSD..45 service poles is not possible on account of the device dimensions.






HDMI connection, 1 module, slanting outlet, as screw connection

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTS-HD S RW1	Pure white		1	3.400	6104 81 4
MTS-HD S SWGR1	Black-grey		1	3.400	6104 81 7
MTS-HD S AL1	Aluminium painted		1	3.400	6104 82 0

PC Polycarbonate

Multimedia support with one HDMI connection socket, slanting cable outlet, with labelling panel, HDMI socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




HDMI connection, 1 module, straight outlet, with connection cable

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTG-HD F RW1	Pure white		1	6.000	6104 82 6
MTG-HD F SWGR1	Black-grey		1	6.000	6104 82 9
MTG-HD F AL1	Aluminium painted		1	6.000	6104 83 2

PC Polycarbonate

Multimedia support with one HDMI connection socket, straight cable outlet, with labelling panel, short HDMI connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




HDMI connection, 1 module, slanting outlet, with connection cable

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTS-HD F RW1	Pure white		1	6.200	6104 83 8
MTS-HD F SWGR1	Black-grey		1	6.200	6104 84 1
MTS-HD F AL1	Aluminium painted		1	6.200	6104 84 4

PC Polycarbonate

Multimedia support with one HDMI connection socket, slanting cable outlet, with labelling panel, short HDMI connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




USB 2.0 connection, 1 module, straight outlet, as screw connection

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTG-U2A S RW1	Pure white		1	2.500	6104 85 0
MTG-U2A S SWGR1	Black-grey		1	2.500	6104 85 3
MTG-U2A S AL1	Aluminium painted		1	2.500	6104 85 6

PC Polycarbonate

Multimedia support with one USB 2.0 connection socket, straight cable outlet, with labelling panel, USB 2.0 Type A socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




USB 2.0 connection, 1 module, slanting outlet, as screw connection

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTS-U2A S RW1	Pure white		1	2.700	6104 86 2
MTS-U2A S SWGR1	Black-grey		1	2.700	6104 86 5
MTS-U2A S AL1	Aluminium painted		1	2.700	6104 86 8

PC Polycarbonate

Multimedia support with one USB 2.0 connection socket, slanting cable outlet, with labelling panel, USB 2.0 Type A socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



USB 2.0 connection, 1 module, straight outlet, with connection cable

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTG-U2A F RW1	Pure white		1	6.000	6104 89 8
MTG-U2A F SWGR1	Black-grey		1	6.000	6104 90 1
MTG-U2A F AL1	Aluminium painted		1	6.000	6104 90 4

PC Polycarbonate

Multimedia support with one USB 2.0 connection socket, straight cable outlet, with labelling panel, short USB 2.0 Type A connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Multimedia connection solutions, Modul 45®




USB 2.0 connection, 1 module, slanting outlet, with connection cable

Type	Colour	Pack.	Weight	Item No.
MTS-U2A F RW1	Pure white	1	6.200	6104 91 0
MTS-U2A F SWGR1	Black-grey	1	6.200	6104 91 3
MTS-U2A F AL1	Aluminium painted	1	6.200	6104 91 6

PC Polycarbonate

Multimedia support with one USB 2.0 connection socket, slanting cable outlet, with labelling panel, short USB 2.0 Type A connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




USB 3.0 connection, 1 module, straight outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
MTG-U3A S RW1	Pure white	1	2.500	6104 87 4
MTG-U3A S SWGR1	Black-grey	1	2.500	6104 87 7
MTG-U3A S AL1	Aluminium painted	1	2.500	6104 88 0

PC Polycarbonate

Multimedia support with one USB 3.0 connection socket, straight cable outlet, with labelling panel, USB 3.0 Type A socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




USB 3.0 connection, 1 module, slanting outlet, as screw connection

Type	Colour	Pack.	Weight	Item No.
MTS-U3A S RW1	Pure white	1	2.700	6104 88 6
MTS-U3A S SWGR1	Black-grey	1	2.700	6104 88 9
MTS-U3A S AL1	Aluminium painted	1	2.700	6104 89 2

PC Polycarbonate

Multimedia support with one USB 3.0 connection socket, slanting cable outlet, with labelling panel, USB 3.0 Type A socket with screw connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




USB 3.0 connection, 1 module, straight outlet, with connection cable

Type	Colour	Pack.	Weight	Item No.
MTG-U3A F RW1	Pure white	1	6.000	6104 92 2
MTG-U3A F SWGR1	Black-grey	1	6.000	6104 92 5
MTG-U3A F AL1	Aluminium painted	1	6.000	6104 92 8

PC Polycarbonate

Multimedia support with one USB 3.0 connection socket, straight cable outlet, with labelling panel, short USB 3.0 Type A connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




USB 3.0 connection, 1 module, slanting outlet, with connection cable


Type	Colour	Pack.	Weight	Item No.
MTS-U3A F RW1	Pure white	1	6.200	6104 93 4
MTS-U3A F SWGR1	Black-grey	1	6.200	6104 93 7
MTS-U3A F AL1	Aluminium painted	1	6.200	6104 94 0

PC Polycarbonate

Multimedia support with one USB 3.0 connection socket, slanting cable outlet, with labelling panel, short USB 3.0 Type A connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Mini jack connection, 1 module, straight outlet, as soldered connection




Type	Colour	Pack.	Weight	Item No.
MTG-MK L RW1	Pure white	1	1.500	6104 94 6
MTG-MK L SWGR1	Black-grey	1	1.500	6104 94 9
MTG-MK L AL1	Aluminium painted	1	1.500	6104 95 2

PC Polycarbonate

Multimedia support with one mini jack connection socket, straight cable outlet, with labelling panel, mini cinch socket (TRS 3.5 mm) with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Mini jack connection, 1 module, slanting outlet, as soldered connection




Type	Colour	Pack.	Weight	Item No.
MTS-MK L RW1	Pure white	1	1.700	6104 95 8
MTS-MK L SWGR1	Black-grey	1	1.700	6104 96 1
MTS-MK L AL1	Aluminium painted	1	1.700	6104 96 4

PC Polycarbonate

Multimedia support with one mini jack connection socket, slanting cable outlet, with labelling panel, mini cinch socket (TRS 3.5 mm) with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Video cinch connection, 1 module, straight outlet, as soldered connection




Type	Colour	Pack.	Weight	Item No.
MTG-R L RW1	Pure white	1	1.500	6104 97 0
MTG-R L SWGR1	Black-grey	1	1.500	6104 97 3
MTG-R L AL1	Aluminium painted	1	1.500	6104 97 6

PC Polycarbonate

Multimedia support with one cinch connection socket for composite video, straight cable outlet, with labelling panel, cinch socket (RCA) with soldered connection, colour coding yellow. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Video cinch connection, 1 module, slanting outlet, as soldered connection




Type	Colour	Pack.	Weight	Item No.
MTS-R L RW1	Pure white	1	1.700	6104 98 2
MTS-R L SWGR1	Black-grey	1	1.700	6104 98 5
MTS-R L AL1	Aluminium painted	1	1.700	6104 98 8

PC Polycarbonate

Multimedia support with one cinch connection socket for composite video, slanting cable outlet, with labelling panel, cinch socket (RCA) with soldered connection, colour coding yellow. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Video cinch connection, 1 module, straight outlet, as 1:1 coupling



Type	Colour	Pack.	Weight	Item No.
MTG-R F RW1	Pure white	1	1.500	6104 99 4
MTG-R F SWGR1	Black-grey	1	1.500	6104 99 7
MTG-R F AL1	Aluminium painted	1	1.500	6105 00 0

PC Polycarbonate

Multimedia support with one cinch connection socket for composite video, straight cable outlet, with labelling panel, cinch coupling (RCA), socket-socket version, colour coding yellow. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Multimedia connection solutions, Modul 45®




Video cinch connection, 1 module, slanting outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-R F RW1	Pure white	1	1.700	6105 00 6
MTS-R F SWGR1	Black-grey	1	1.700	6105 00 9
MTS-R F AL1	Aluminium painted	1	1.700	6105 01 2

PC Polycarbonate

Multimedia support with one cinch connection socket for composite video, slanting cable outlet, with labelling panel, cinch coupling (RCA), socket-socket version, colour coding yellow. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Audio cinch connection, 1 module, straight outlet, as soldered connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-2R L RW1	Pure white	1	2.500	6105 04 2
MTG-2R L SWGR1	Black-grey	1	2.500	6105 04 5
MTG-2R L AL1	Aluminium painted	1	2.500	6105 04 8

PC Polycarbonate

Multimedia support with two cinch connection sockets for audio R/L, straight cable outlet, with labelling panel, two cinch sockets (RCA) with soldered connection, colour coding red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Audio cinch connection, 1 module, slanting outlet, as soldered connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-2R L RW1	Pure white	1	2.700	6105 05 4
MTS-2R L SWGR1	Black-grey	1	2.700	6105 05 7
MTS-2R L AL1	Aluminium painted	1	2.700	6105 06 0

PC Polycarbonate

Multimedia support with two cinch connection sockets for audio R/L, slanting cable outlet, with labelling panel, two cinch sockets (RCA) with soldered connection, colour coding red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Audio cinch connection, 1 module, straight outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-2R F RW1	Pure white	1	2.500	6105 06 6
MTG-2R F SWGR1	Black-grey	1	2.500	6105 06 9
MTG-2R F AL1	Aluminium painted	1	2.500	6105 07 2

PC Polycarbonate

Multimedia support with two cinch connection sockets for audio R/L, straight cable outlet, with labelling panel, two cinch couplings (RCA), socket-socket version, colour coding red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Audio cinch connection, 1 module, slanting outlet, as 1:1 coupling


Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-2R F RW1	Pure white	1	2.700	6105 07 8
MTS-2R F SWGR1	Black-grey	1	2.700	6105 08 1
MTS-2R F AL1	Aluminium painted	1	2.700	6105 08 4

PC Polycarbonate

Multimedia support with two cinch connection sockets for audio R/L, slanting cable outlet, with labelling panel, two cinch couplings (RCA), socket-socket version, colour coding red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Component video connection, 1 module, straight outlet, as soldered connection




Type	Colour	Pack.	Weight	Item No.
MTG-3R L RW1	Pure white	1	3.200	6105 11 4
MTG-3R L SWGR1	Black-grey	1	3.200	6105 11 7
MTG-3R L AL1	Aluminium painted	1	3.200	6105 12 0

PC Polycarbonate

Multimedia support with three cinch connection sockets for component video, straight cable outlet, with labelling panel, three cinch sockets (RCA) with soldered connection, colour coding red/green/blue. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Component video connection, 1 module, slanting outlet, as soldered connection




Type	Colour	Pack.	Weight	Item No.
MTS-3R L RW1	Pure white	1	3.400	6105 12 6
MTS-3R L SWGR1	Black-grey	1	3.400	6105 12 9
MTS-3R L AL1	Aluminium painted	1	3.400	6105 13 2

PC Polycarbonate

Multimedia support with three cinch connection sockets for component video, slanting cable outlet, with labelling panel, three cinch sockets (RCA) with soldered connection, colour coding red/green/blue. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Component video connection, 1 module, straight outlet, as 1:1 coupling




Type	Colour	Pack.	Weight	Item No.
MTG-3R F RW1	Pure white	1	3.200	6105 13 8
MTG-3R F SWGR1	Black-grey	1	3.200	6105 14 1
MTG-3R F AL1	Aluminium painted	1	3.200	6105 14 4

PC Polycarbonate

Multimedia support with three cinch connection sockets for component video, straight cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding red/green/blue. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Component video connection, 1 module, slanting outlet, as 1:1 coupling




Type	Colour	Pack.	Weight	Item No.
MTS-3R F RW1	Pure white	1	3.400	6105 15 0
MTS-3R F SWGR1	Black-grey	1	3.400	6105 15 3
MTS-3R F AL1	Aluminium painted	1	3.400	6105 15 6

PC Polycarbonate

Multimedia support with three cinch connection sockets for component video, slanting cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding red/green/blue. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Audio/video cinch connection, 1 module, straight outlet, as soldered connection



Type	Colour	Pack.	Weight	Item No.
MTG-12R L RW1	Pure white	1	3.200	6105 16 2
MTG-12R L SWGR1	Black-grey	1	3.200	6105 16 5
MTG-12R L AL1	Aluminium painted	1	3.200	6105 16 8

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio-video, straight cable outlet, with labelling panel, three cinch sockets (RCA) with soldered connection, colour coding yellow/red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Multimedia connection solutions, Modul 45®




Audio/video cinch connection, 1 module, slanting outlet, as soldered connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-12R L RW1	Pure white	1	3.400	6105 17 4
MTS-12R L SWGR1	Black-grey	1	3.400	6105 17 7
MTS-12R L AL1	Aluminium painted	1	3.400	6105 18 0

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio-video, slanting cable outlet, with labelling panel, three cinch sockets (RCA) with soldered connection, colour coding yellow/red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Audio/video cinch connection, 1 module, straight outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-12R F RW1	Pure white	1	3.200	6105 18 6
MTG-12R F SWGR1	Black-grey	1	3.200	6105 18 9
MTG-12R F AL1	Aluminium painted	1	3.200	6105 19 2

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio-video, straight cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding yellow/red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Audio/video cinch connection, 1 module, slanting outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-12R F RW1	Pure white	1	3.400	6105 19 8
MTS-12R F SWGR1	Black-grey	1	3.400	6105 20 1
MTS-12R F AL1	Aluminium painted	1	3.400	6105 20 4

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio-video, slanting cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding yellow/red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




BNC connection, 1 module, straight outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-BC F RW1	Pure white	1	1.500	6105 01 8
MTG-BC F SWGR1	Black-grey	1	1.500	6105 02 1
MTG-BC F AL1	Aluminium painted	1	1.500	6105 02 4

PC Polycarbonate

Multimedia support with one BNC connection socket, straight cable outlet, with labelling panel, BNC cinch coupling, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.





BNC connection, 1 module, slanting outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-BC F RW1	Pure white	1	1.700	6105 03 0
MTS-BC F SWGR1	Black-grey	1	1.700	6105 03 3
MTS-BC F AL1	Aluminium painted	1	1.700	6105 03 6

PC Polycarbonate

Multimedia support with one BNC connection socket, slanting cable outlet, with labelling panel, BNC cinch coupling, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.






2x BNC connection, 1 module, straight outlet, as 1:1 coupling

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTG-2BC F RW1	Pure white		1	2.500	6105 09 0
MTG-2BC F SWGR1	Black-grey		1	2.500	6105 09 3
MTG-2BC F AL1	Aluminium painted		1	2.500	6105 09 6

PC Polycarbonate

Multimedia support with two BNC connection sockets, straight cable outlet, with labelling panel, two BNC couplings, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




2x BNC connection, 1 module, slanting outlet, as 1:1 coupling

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTS-2BC F RW1	Pure white		1	2.700	6105 10 2
MTS-2BC F SWGR1	Black-grey		1	2.700	6105 10 5
MTS-2BC F AL1	Aluminium painted		1	2.700	6105 10 8

PC Polycarbonate

Multimedia support with two BNC connection sockets, slanting cable outlet, with labelling panel, two BNC couplings, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




XLR connection, 1 module, straight outlet, 3-pin socket, as soldered connection

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTG-X3F L RW1	Pure white		1	3.000	6105 21 0
MTG-X3F L SWGR1	Black-grey		1	3.000	6105 21 3
MTG-X3F L AL1	Aluminium painted		1	3.000	6105 21 6

PC Polycarbonate

Multimedia support with one XLR connection socket, straight cable outlet, without labelling panel, 3-pin XLR socket with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




XLR connection, 1 module, straight outlet, 3-pin connector, as soldered connection

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTG-X3M L RW1	Pure white		1	3.000	6105 22 2
MTG-X3M L SWGR1	Black-grey		1	3.000	6105 22 5
MTG-X3M L AL1	Aluminium painted		1	3.000	6105 22 8

PC Polycarbonate

Multimedia support with one XLR connection socket, straight cable outlet, without labelling panel, 3-pin XLR connector with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Multimedia support for SLR plug connector, 1 module, straight outlet

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
MTG-X O RW1	Pure white		1	0.600	6105 23 4
MTG-X O SWGR1	Black-grey		1	0.600	6105 23 7
MTG-X O AL1	Aluminium painted		1	0.600	6105 24 0

PC Polycarbonate

Multimedia support for a XLR plug connector, straight cable outlet, without labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.



Antenna connection coupling, 1/2 modules, SAT

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
ANT-1S RW0.5	Pure white		1	2.250	6117 60 6
ANT-1S SWGR0.5	Black-grey		1	2.250	6117 61 0
ANT-1S AL0.5	Aluminium painted		1	2.250	6117 60 7

/pc.

Single socket for antennas, BK and satellite reception systems with SAT connection.

Frequency range: To 1 GHz
Through attenuation: Max. 0.055 dB



Multimedia connection solutions, Modul 45®





Antenna socket, 1 module, TV/radio, single socket

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
ANT-2E RW1	Pure white		10	8.100	6117 38 1
ANT-2E SWGR1	Black-grey		10	8.100	6117 38 3
ANT-2E AL1	Aluminium painted		10	8.100	6117 38 5

/pc.

Single socket for antenna, BK and satellite reception systems with connection for TV and radio.

Frequency: 5-862 MHz
 Heat attenuation: 1 dB
 Return channel attenuation: 14 dB
 EMC protection class A




Antenna socket, 1 module, TV/radio, pass-through socket

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
ANT-2D RW1	Pure white		10	8.100	6117 38 7
ANT-2D SWGR1	Black-grey		10	8.100	6117 38 9
ANT-2D AL1	Aluminium painted		10	8.100	6117 39 1

/pc.

Through socket for antenna, BK and satellite reception systems with connection for TV and radio.

Frequency: 5-862 MHz
 Through attenuation: 4 dB
 Heat attenuation: 14 dB
 EMC protection class A



Antenna socket, 1 module, TV/radio/SAT, single socket

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
ANT-3E RW1	Pure white		10	9.400	6117 39 3
ANT-3E SWGR1	Black-grey		10	9.400	6117 39 5
ANT-3E AL1	Aluminium painted		10	9.400	6117 39 7

/pc.

Single socket for antenna, BK and satellite reception systems with connection for TV, radio and SAT.

Frequency: 5-2050 MHz
 Heat attenuation:
 5-862 MHz – 1 dB
 950-2050 MHz – 2 dB
 Return channel attenuation: 14 dB
 EMC protection class A

